



TECHNICAL STANDARDS & SAFETY AUTHORITY
 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario
 Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

(3) Trademarks

STATUTORY DECLARATION Registration of Fittings

I, Tim Narel, Director of Engineering & Quality Assurance
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Milwaukee Valve Company Also DBA Hammond Valve
(Name of Manufacturer)

Located at 16550 West Stratton Drive, New Berlin, Wisconsin 53151 USA 262-432-2700 262-432-2701
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
(See Summary of Products List)

(Title of recognized North American Standard)
 which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2008
ANSI/ISO/ASQ which has been verified by the following authority, LRQA

The items covered by this declaration, for which I seek registration, are category all line valve type fittings. In support of this application, the following information and/or test data are attached as follows:
In a catalog binder.

(drawings, calculations, test reports, etc.)

Declared before me at Milwaukee Valve Co Inc in the Waukesha County of Wisconsin
 the 6th day of December 2013

Commissioner for Oaths:

Patricia S Krueger
(Printed name)
[Signature]
(Signature)



[Signature]
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN: 008013.54

Registered by: [Signature]

Dated: April 19, 2013

NOTE: This registration expires on Jan 31, 2013

AS PER ATTACHED SUMMARY OF PRODUCTS STAMPED
 "PART OF CRN". INCLUDES 5 MANUFACTURING LOCATIONS. [Signature]

Summary of Products from Milwaukee Valve Company Submitted for CRN in Binder 1 of 2

Table below summarizes Milwaukee Valve Company products being submitted for Canadian Registration Numbers to TSSA. Products are grouped together by valve type.


Hammond Valve is a brand name under the Milwaukee Valve Company corporate umbrella, and we have distinct Hammond Figure numbers for product which is identical to the Milwaukee Valve Company offering. Where Milwaukee Figure numbers are given with corresponding Hammond Figure numbers, the body and other key structural components are identical, the product generally varies only in handle and/or nameplate. Specific product information, e.g. ASTM specifications for material, pressure-temperature ratings, etc., are given in the individual product bulletins/catalog sheets/data sheets presented in the attached binder. To assist in cross referencing the Hammond products, we enclose a Hammond Condensed catalog.

THIS IS PART OF
 CRN 0082135
 Technical Standards & Safety Authority
 Boilers & Pressure Vessels
 Safety Program

BALL VALVES

Inspection & Technical Services
Manitoba

Boiler & Pressure Vessel
Safety Program

Manitoba 

THIS IS PART OF CRN

0082135

1" - 3"
 1/4" - 3"
 1/4" - 4"
 1/4" - 2"
 1/4" - 3"
 1/4" - 2"
 1/4" - 2"
 1/4" - 2"
 1/4" - 2"
 1/4" - 2"
 1/4" - 2"

Valve Figure Number (Milwaukee)	Milwaukee Catalog/Bulletin Number	Valve Figure Number (Hammond)	Valve Type	Certifications/Approvals	Design Standard
BA-100	Data Sheet BV-1	8501	Ball, cast bronze, 600 WOG, standard port, 2 pc, NPT ends.		MSS SP-110
BA-475B	Data Sheet BV-21	8901	Ball, cast bronze, 600 WOG, standard port, 2 pc, NPT ends.	UL, FM, AGA, CGA	MSS SP-110
BA-200	Data Sheet BV-9	8201	Ball, cast bronze, 400 WOG, standard port, 2 pc, NPT ends.	UL	MSS SP-110
30BB/BS	30BB/BS Series Bal-7	n/a	Ball, cast bronze, 600 WOG, full port, 3 pc, NPT ends.		MSS SP-110
BA-300/S	Data Sheet BV-11	8604, 8603	Ball, cast bronze, 600 WOG, full port, 3 pc, NPT ends.		MSS SP-110
BA-400/S	Data Sheet BV-16	8301A/8303A	Ball, cast bronze, 400 WOG, full port, 2 pc, NPT ends.		MSS SP-110
20BB/BS	20BB/BS Series Bal-2	8461, 8463	Ball, cast bronze, 600 WOG, standard port, 2 pc, NPT ends.		MSS SP-110
10 Series	Data Sheet in Ball Valve Section	n/a	Ball, one-pc, 2000 WOG, reduced port, NPT ends	API 607	MSS SP-110
20/22 CS/SS Series	20/22 Series Bal-1	8422, 8423, 8433	Ball, 2 pc. 2000/1500 WOG Standard port, NPT ends (22 series is seal welded)	API 607	MSS SP-110
30CS/SS	30CS/SS Series BAL-8	8623, 8633	Ball, 3 pc. 1000 WOG, exposed bolt, full port NPT ends.	API 607	MSS SP-110

$\frac{1}{4}'' - 2''$
 $\frac{1}{2}'' - 2\frac{1}{2}''$
 $\frac{1}{2}'' - 6''$
 $\frac{1}{4}'' - 2''$

35 Series	35CS/SS BAL-11	n/a	Ball, 3 pc. 2000 WOG, enclosed bolt, standard port, NPT ends	API 607	ANSI B16.34 MSS SP-110
F20 Series	F20 Series BAL-10	n/a	Ball, 2 pc., full port, flanged ends, ANSI 150# and 300# class	API 607	ANSI B16.34 API 608 MSS SP-72
F90/91	F90/91 Series BAL-3	n/a	Ball, unibody, standard port, flanged ends, ANSI 150# and 300# class.	API 607	ASME B16.34
41 Series	41 Series BAL-5	n/a	Ball, 2 pc. Seal welded, 2000/1500 WOG standard & full port and SW ends	API 607	ASME B16.34
Burst Test Data	n/a				

BUTTERFLY VALVES



Valve Figure Number (Milwaukee)	Milwaukee Catalog/Bulletin Number	Valve Figure Number (Hammond)	Valve Type	Certifications/Approvals	Design Standard
HPBV (High Performance Butterfly Valves)	Data Sheets in Butterfly Valve section	Uses same figure no. as Milwaukee	High pressure butterfly valve with offset seat, stem and disc design. Wafer and lug design, ANSI 150# and 300# class.		MSS SP-68
BB2-100 Butterball	Data Sheet BFV-15	n/a	Butterball, cast bronze, 175 psi, 1 piece, NPT ends.	UL, CSA	WW-V-1967 B31.3 <i>KK</i>
Resilient Seated Butterfly Valves, M, C, H, O, & U Series	ML & MW Series, CL & CW Series, HL & HW Series, O Series, and U Series	5000, 6000	Phenolic-backed Rubber-lined Butterfly Valve, one-pc body, 2 pc. Stem, lug & wafer, various ratings from vacuum to 250 psig	ABS (American Bureau of Ship Building) type certification	MSS SP-67, API 609

$2.5'' - 24''$ For #1
 $2.5'' - 16''$ For #3

1/31/13

M: $2'' - 12''$
 C: $2'' - 12''$
 H: $2'' - 12''$
 O: $2'' - 12''$
 U: $2'' - 12''$

For Pressure rating, see Document 201214. *KK*



Summary of Products from Milwaukee Valve Company Submitted for CRN in Binder 2 of 2

Table below summarizes Milwaukee Valve Company products being submitted for Canadian Registration Numbers to TSSA. Products are grouped together by valve type.

Hammond Valve is a brand name under the Milwaukee Valve Company corporate umbrella, and we have distinct Hammond Figure numbers for product which is identical to the Milwaukee Valve Company offering. Where Milwaukee Figure numbers are given with corresponding Hammond Figure numbers, the body and other key structural components are identical, the product generally varies only in handle and/or nameplate. Specific product information, e.g. ASTM specifications for material, pressure-temperature ratings, etc., are given in the individual product bulletins/catalog sheets/data sheets presented in the attached binder. To assist in cross referencing the Hammond products, we enclose a Hammond Condensed catalog.

THIS IS PART OF
CRNOC 8213.5R3
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program

BRONZE & IRON

1/4" - 4"
1/2" - 4"
3/4" - 3"
1" - 4"
1 1/4" - 2"
1 1/2" - 4"
1 3/4" - 3"
2" - 3"
2 1/4" - 1 1/2"
2 1/2" - 3"
3" - 25"
3 1/2" - 3"
4" - 2"
4 1/2" - 2"
5" - 3"
5 1/2" - 2"
6" - 2"
6 1/2" - 3"

Valve Figure Number (Milwaukee)	Milwaukee Catalog/Bulletin Number	Valve Figure Number (Hammond)	Valve Type	Certifications/Approvals	Design Standard
105	Data Sheet i-1	IB645	Gate, 125 SWP/200 WOG bronze NPT ends		MSS SP-80
148	Data Sheet i-2	IB640	Gate, 125 SWP/200 WOG bronze NPT ends		MSS SP-80
1152	Data Sheet i-3	IB617	Gate, 125 SWP/200 WOG bronze NPT ends		MSS SP-80
1140	Data Sheet i-6	IB646	Gate, 150 SWP/300 WOG bronze NPT ends		MSS SP-80
1141	Data Sheet i-7	IB638	Gate, 150 SWP/300 WOG bronze NPT ends		MSS SP-80
1150	Data Sheet i-8	IB641	Gate, 150 SWP/300 WOG bronze NPT ends		MSS SP-80
1151	Data Sheet i-9	IB629	Gate, 150 SWP/300 WOG bronze NPT ends		MSS SP-80
P900	Data Sheet i-12	n/a	Gate, quick opening, 150 SWP/300 WOG NPT ends		Based on MSS SP-80
P901	Data Sheet i-13	IB610	Gate, quick opening, 150 SWP/300 WOG NPT ends		Based on MSS SP-80
P902	Data Sheet i-14	n/a	Gate, quick opening, 150 WOG		Based on MSS SP-80
502	Data Sheet i-22	IB440	Globe, 125 SWP/200 WOG bronze, NPT ends		MSS SP-80
504	Data Sheet i-32	IB463	Angle, 125 SWP/200 WOG bronze, NPT ends		MSS SP-80
590T	Data Sheet i-24	IB413T	Globe, 150 SWP/300 WOG bronze NPT ends		MSS SP-80
591A	Data Sheet i-25	IB434	Globe, 150 SWP/300 WOG bronze NPT ends		MSS SP-80
595T	Data Sheet i-33	IB454T	Angle, 150 SWP/300 WOG bronze NPT ends		MSS SP-80
509/509T	Data Sheet i-35	IB904/IB940	Swing Check, 125 SWP/200 WOG, bronze, NPT ends		MSS SP-80
510T	Data Sheet i-40	IB946	Swing Check, 150 SWP/300 WOG, bronze, NPT ends		MSS SP-80
515	Data Sheet i-42	n/a	Swing Check, 150 SWP/300 WOG, bronze, NPT ends		MSS SP-80
1153	Data Sheet i-15	n/a	Gate, 200 SWP/400 WOG bronze NPT ends		MSS SP-80

2" - 2"	1156	Data Sheet i-16	n/a	Gate, 200 SWP/400 WOG bronze NPT ends	MSS SP-80
2" - 3"	1174	Data Sheet i-17	IB651	Gate, 200 SWP/400 WOG bronze NPT ends	MSS SP-80
2" - 2"	1176	Data Sheet i-18	n/a	Gate, 200 SWP/400 WOG bronze NPT ends	MSS SP-80
2" - 2"	1182	Data Sheet i-19	IB652	Gate, 300 SWP/1000 WOG bronze NPT ends	MSS SP-80
2" - 3"	1184	Data Sheet i-20	IB654	Gate, 300 SWP/1000 WOG bronze NPT ends	MSS SP-80
2" - 2"	1186	Data Sheet i-21	IB656	Gate, 300 SWP/1000 WOG bronze NPT ends	MSS SP-80
2" - 3"	570	Data Sheet i-27	IB413T	Globe, 200 SWP/400 WOG bronze NPT ends	MSS SP-80
2" - 2"	592A	Data Sheet i-28	IB434	Globe, 200 SWP/400 WOG bronze NPT ends	MSS SP-80
2" - 3"	600	Data Sheet i-29	IB415	Globe, 200 SWP/400 WOG bronze NPT ends	MSS SP-80
2" - 2"	572	Data Sheet i-30	IB412	Globe, 300 SWP/600 WOG bronze NPT ends	MSS SP-80
2" - 2"	582	Data Sheet i-34	n/a	Angle, 300 SWP/600 WOG bronze NPT ends	MSS SP-80
2" - 2"	593A	Data Sheet i-31	IB444	Globe, 300 SWP/1000 WOG bronze NPT ends	MSS SP-80
2" - 3"	507	Data Sheet i-46	IB949	Swing Check, 300 SWP/600 WOG, bronze, NPT ends	MSS SP-80
2" - 3"	508	Data Sheet i-45	IB944	Swing Check, 200 SWP/400 WOG, bronze, NPT ends	MSS SP-80
2" - 2"	2882	2882A (i-47) 2882-M (i-48 & i-49) 2882-M26 (i-49 & i-50)	IR1138HI & IR1138	Gate valve, flanged ends, 125 SWP/200 WOG, iron, non-rising stem	MSS SP-70
2" - 12"	F-2885	F-2885A (i-51), F-2885-M (i-53)	IR1140 IR1140HI	Gate valve, flanged ends, 125 SWP/200 WOG, iron, rising stem	MSS SP-70
2" - 10"	F-2981	F-2981A (i-57) F-2981-M (i-58)	IR1116 IR1116HI	Globe, 125 SWP/200 WOG, iron, flanged ends	MSS SP-85
2" - 12"	F-2894	F-2894A (i-55), F-2894-M (i-58)	IR330 IR330HI	Gate, 250 SWP/500 WOG iron, flanged ends	MSS SP-70
2" - 12"	F-2974	F-2974A (i-60), F-2974-M (i-62) F-2974-M26 (i-62) F-2974-M13 (i-67)	IR1124HI IR1124 IR1937 HI IR1126	Swing Check, 125 SWP/200 WOG iron, flanged ends	MSS SP-71
	Burst Test	see tab in 3-ring binder	n/a	n/a	

For pressure ratings, see Document 201215 *vk*

